



TECHNICAL DATA SHEET

PREVABRITE 7690

Aluminum Brightener

PRODUCT DESCRIPTION

PrevaBrite 7690 is an aluminum brightener that effectively removes the oxide layer on aluminum surfaces without damaging the metal. This product is created using safe acids which replace the use of hydrofluoric acid.

PrevaBrite 7690 exceeds environmental and safety standards without compromising performance. This product is low fuming, eliminating aspiration hazards commonly associated with other products used in similar applications.

APPLICATION AND USAGE

- Aluminum wheels
- Tanker trucks
- Boats
- Trailers/trailer floors
- Aluminum storage tanks
- Stainless steel tanks/equipment
- Aluminum processing equipment
- Aluminum dump trailers and boxes

HANDLING:

Precautions: Handle and open containers with care. Do not ingest. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin and eyes.

Provide good ventilation. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Respiratory protection not required under normal use conditions. Keep work areas well ventilated.

Use Rubber glove and chemical splash goggles

Storage: Keep container in a cool, well-ventilated area. Store in fibreglass, polyethylene or polypropylene containers. Do NOT store in metal container especially aluminum. Do not store at temperatures exceeding 45°C.

AVAILABILITY:

Pail, Drum & Tote

Liability Disclaimer - The information in this Data Sheet is provided without suggestion of warranty or guarantee. This information is given with the most current data available, however nothing within this Data Sheet should be considered a recommendation. "Physical Properties" are typical values rather than specifications. The user is responsible for investigation for suitability of this product for their own particular application.

Manufactured by

